Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	10	(geodetic near coordinat\$4) and (mesh) and computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 08:36
S2	2	("6285372").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/18 12:23
S3	. 29	(feature near line) and (segmentat\$4) and (model) and (reconstruc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 08:48
S4	19	(feature near line) and (segmentat\$4) and (model) and (reconstruc\$4) and ("3D")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 12:27
S5	1	(feature near line) and (("3D" or (three near dimenison\$4) or ("3" near dimension\$4)) near thread) and resolution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 12:31
S6	0	S5 not S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 12:29
S7	94	(surface with geometry with synthesi\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 12:32
S8	51	((surface near2 geometry) with synthesi\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 12:33
S9	6	((surface near2 geometry) near3 synthesi\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 12:36
S10	71	(feature near line near segment\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 12:49

5/22/2006 5:28:08 PM C:\Documents and Settings\sbroome1\My Documents\EAST\Workspaces\10623646.wsp Page 1

\$11	2	("6480287").PN.	US-PGPUB;	OR	OFF	2006/05/18 12:53
			USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB			
S12	5	((feature near line) with ("3D" near model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 12:57
S13	9	((feature with line) with ("3D" near model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 14:53
S14	4	S13 not S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 12:58
S15	5	("4845651" "4888713" "5214752").PN. OR ("5739822").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/18 12:59
S16	19	((line) with ("3D" near model) with (reconstruct\$4 or correct\$4 or modify or modifica\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 13:39
S17	19	S16 not (S14 or S15)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 13:40
S18	0	((feature near (point or vertex or vertic\$4)) with ("3D" near model) with (correct\$4 or modify or modifica\$4 or reconstruct\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 13:40
S19	14	((feature near (point or vertex or vertic\$4)) same ("3D" near model) same (correct\$4 or modify or modifica\$4 or reconstruct\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 13:40
S20	13	S19 not (S16 or S14 or S15)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 14:08
S21	1172	(("3D" or (three near dimension\$4) or ("3" near dimension\$4)) with (reconstruct\$4) with (point or line or vertic\$4 or vertex))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 14:09

S22	131	(("3D" or (three near dimension\$4) or ("3" near dimension\$4)) with (reconstruct\$4) with (point or line or vertic\$4 or vertex)) same (prevent\$4 or correct\$4 or improv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/18 14:10
S23	5	(("3D" or (three near dimension\$4) or ("3" near dimension\$4)) near (reconstruct\$4) near (point or line or vertic\$4 or vertex)) same (prevent\$4 or correct\$4 or improv\$4)	; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 14:16
S24	37	("4912644").URPN.	USPAT	OR	ON	2006/05/18 14:24
S25	6	"623646"	USPAT	OR	ON	2006/05/18 14:24
S26	1	((feature with (line or wire or skeleton)) with ("3D" near model)) same (reconstruct\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 15:58
S27	0	S26 not S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 14:54
S28	0	((input or obtain\$4 or captur\$4 or gather\$4) near ("3D" or (three near dimension\$4) or ("3" near dimension\$4)) near (model or face or facial)) same (reconstruct) same ((feature near3 line) or snake)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ОИ	2006/05/18 16:01
S29	44	((input or obtain\$4 or captur\$4 or gather\$4) near ("3D" or (three near dimension\$4) or ("3" near dimension\$4)) near (model or face or facial)) and (reconstruct\$4) and ((feature near3 line) or snake)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 16:01
S30	20	((input or obtain\$4 or captur\$4 or gather\$4) near ("3D" or (three near dimension\$4) or ("3" near dimension\$4)) near (model or face or facial)) and (reconstruct\$4) and ((feature near3 line) or (structur\$4 near snake))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 16:02
S31	0	((input or obtain\$4 or captur\$4 or gather\$4) near ("3D" or (three near dimension\$4) or ("3" near dimension\$4)) near (model or face or facial)) and (reconstruct\$4) and ((structur\$4 near snake))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 16:02
\$32	24	((input or obtain\$4 or captur\$4 or gather\$4) near ("3D" or (three near dimension\$4) or ("3" near dimension\$4)) near (model or face or facial)) and (reconstruct\$4) and ((snake))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 16:12
S33	15	(("4,389,677") or ("6,163,619") or ("5,844,573") or ("6,278,460") or ("6,545,673") or ("6,580,821") or ("6,912,293")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/18 16:30

5/22/2006 5:28:08 PM C:\Documents and Settings\sbroome1\My Documents\EAST\Workspaces\10623646.wsp Page 3

S34	6	(("20020018595") or ("5995110") or ("5775129")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/18 16:31
S35	2	("5774129").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/18 16:31
S37	13	((determin\$4 or locat\$4 or calculat\$4 or retriv\$4 or comput\$4) with ((feature near line) or point or vertic\$4 or vertex) with (face or facial) with (model or mesh or polygon)) and (connectiv\$4) and ((remov\$4 or add) near (feature or line or vertic\$4 or vertex or point)) and ((triangl\$4 or triangular) near (mesh or grid))	USPAT	OR	ON	2006/05/18 16:46
S38	13	((determin\$4 or locat\$4 or calculat\$4 or retriv\$4 or comput\$4) with ((feature near line) or point or vertic\$4 or vertex) with (face or facial) with (model or mesh or polygon)) and (connectiv\$4) and ((remov\$4 or add) near (feature or line or vertic\$4 or vertex or point)) and ((triangl\$4 or triangular) near (mesh or grid)) and (construct\$4)	USPAT	OR	ON	2006/05/18 16:46
S39	13	((determin\$4 or locat\$4 or calculat\$4 or retriv\$4 or comput\$4) with ((feature near line) or point or vertic\$4 or vertex) with (face or facial) with (model or mesh or polygon)) and (connectiv\$4) and ((remov\$4 or add) near (feature or line or vertic\$4 or vertex or point)) and ((triangl\$4 or triangular) near (mesh or grid)) and (reconstruct\$4 or regenerat\$4)	USPAT	OR	ON	2006/05/18 17:51
S40	13	S39 not S32	USPAT	OR	ON	2006/05/18 16:46
S41	13	S39 not S19	USPAT	OR	ON	2006/05/18 16:46
S42	76	("4888713" "4912664" "4933889" "4941114" "4994989" "5125038" "5175806" "5193145" "5214752" "5255352" "5257346" "5333245" "5343558" "5367615" "5369736" "5379371" "5381526" "5398307" "5410644" "5440674" "5448686" "5448687" "5465323" "5471566" "5495429" "5504845" "5519515" "5522019" "5528737" "5535315" "5550960" "5553206" "5553208" "55553208" "5561746" "5561749" "5579454" "5581673" "5586246" "5590248" "5602979" "5617322" "5748865" "5774124" "5886702" "6046744" "6064771").PN. OR ("6208347").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/18 16:54
S43	0	((determin\$4 or locat\$4 or calculat\$4 or retriv\$4 or comput\$4) with ((feature near line)) with (face or facial) with (model or mesh or polygon)) and (connectiv\$4) and ((remov\$4 or add) near (feature or line or vertic\$4 or vertex or point)) and ((triangt\$4 or triangular) near (mesh or grid)) and (reconstruct\$4 or regenerat\$4)	USPAT	OR	ON	2006/05/18 17:51
S44	0	((determin\$4 or locat\$4 or calculat\$4 or retriv\$4 or comput\$4) same ((feature near line)) same (face or facial) same (model or mesh or polygon)) and (connectiv\$4) and ((remov\$4 or add) near (feature or line or vertic\$4 or vertex or point)) and ((triangl\$4 or triangular) near (mesh or grid)) and (reconstruct\$4 or regenerat\$4)	USPAT	OR	ON	2006/05/18 17:52
S45	0	((determin\$4 or locat\$4 or calculat\$4 or retriv\$4 or comput\$4) same ((feature with line)) same (face or facial) same (model or mesh or polygon)) and (connectiv\$4) and ((remov\$4 or add) near (feature or line or vertic\$4 or vertex or point)) and ((triangl\$4 or triangular) near (mesh or grid)) and (reconstruct\$4 or regenerat\$4)	USPAT	OR	ON	2006/05/18 17:52
\$46	0	((determin\$4 or locat\$4 or calculat\$4 or retriv\$4 or comput\$4) same ((contour with feature)) same (face or facial) same (model or mesh or polygon)) and (connectiv\$4) and ((remov\$4 or add) near (feature or line or vertic\$4 or vertex or point)) and ((triangl\$4 or triangular) near (mesh or grid)) and (reconstruct\$4 or regenerat\$4)	USPAT	OR	ON	2006/05/18 17:52
S47	0	((determin\$4 or locat\$4 or calculat\$4 or retriv\$4 or comput\$4) same ((wire with feature)) same (face or facial) same (model or mesh or polygon)) and (connectiv\$4) and ((remov\$4 or add) near (feature or line or vertic\$4 or vertex or point)) and ((triang1\$4 or triangular) near (mesh or grid)) and (reconstruct\$4 or regenerat\$4)	USPAT	OR	ON	2006/05/18 17:52

5/22/2006 5:28:08 PM Page 4

S48	0	(((determin\$4 or locat\$4 or calculat\$4 or retriv\$4 or comput\$4) same ((wire)) same (face or facial) same (model or mesh or polygon)) and (connectiv\$4) and ((remov\$4 or add) near (feature or line or vertic\$4 or vertex or point)) and ((triangl\$4 or triangular) near (mesh or grid)) and (reconstruct\$4 or regenerat\$4)	USPAT	OR	ON	2006/05/18 17:53
S49	10	((determin\$4 or locat\$4 or calculat\$4 or retriv\$4 or comput\$4) and ((wire)) and (face or facial) and (model or mesh or polygon)) and (connectiv\$4) and ((remov\$4 or add) near (feature or line or vertic\$4 or vertex or point)) and ((triangl\$4 or triangular) near (mesh or grid)) and (reconstruct\$4 or regenerat\$4)	USPAT	OR	ON	2006/05/18 17:53
S50	7	S49 not S39	USPAT	OR	ON	2006/05/18 17:54
S51	72	(feature near line) and (("3D" or (three near dimension\$4) or ("3" near dimension\$4)) near (model or mesh or polygon))	USPAT	OR	ON	2006/05/18 17:55
S52	5	(feature near line) same (("3D" or (three near dimension\$4) or ("3" near dimension\$4)) near (model or mesh or polygon))	USPAT	OR	ON	2006/05/18 17:56
S56	364	((feature near line) and (model) and (face or facial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 08:49
S57	11	((feature near line) same (model) same (face or facial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 08:49
S58	29	(feature near line) and (segmentat\$4) and (model) and (reconstruc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 08:49
S59	19	(feature near line) and (segmentat\$4) and (model) and (reconstruc\$4) and ("3D")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 08:49
S60	350	S56 not (S58 or S59)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 08:49
S61	11	S57 not (S58 or S59)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 08:49
S62	272	((grid or mesh) with (accord\$4 or respons\$4 or respect\$4 or based) with (number or amount or ratio) with (point or vertic\$4 or vertex)) and (model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 09:25
S63	69	((grid or mesh) with (accord\$4 or respons\$4 or respect\$4 or based) with (number or amount or ratio) with (point or vertic\$4 or vertex)) and (model) and (face or facial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 09:29

5/22/2006 5:28:08 PM C:\Documents and Settings\sbroome1\My Documents\EAST\Workspaces\10623646.wsp Page 5

S64	16	((grid or mesh) with (accord\$4 or respons\$4 or respect\$4 or based) with ((number or amount or ratio) near (point or vertic\$4 or vertex))) and (model) and (face or facial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 09:30
S65	11	((grid or mesh) with (accord\$4 or respons\$4 or respect\$4 or based) with ((number or amount or ratio) near (point or vertic\$4 or vertex))) and ((model) same (face or facial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 09:30
S66	9	((grid or mesh) with (accord\$4 or respons\$4 or respect\$4 or based) with ((number or amount or ratio) near (point or vertic\$4 or vertex))) and ((model) with (face or facial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 10:18
S67	17	(grid or mesh) same ((determin\$4 or calculat\$4 or find or provid\$4) with ((number or amount or ratio) near (point or vertic\$4 or vertex))) and ((model) with (face or facial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 10:04
S68	13	S67 not S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 10:22
S69	5	(("6901161") or ("6496594")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/19 10:23
S70	12	(("6,556,196") or ("6,633,655") or ("5,496,594") or ("5.044,168") or ("5,929,918") or ("5,611,629") or ("5,381,346")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/19 10:23
S71	18	("5844573" "5990901" "6020892" "6147692" "6268846" "6320583" "6362833" "6366281").PN. OR ("6556196").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/19 11:31
S72	6	(("5,995,119") or ("6,654,018") or ("6,885761")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/19 11:31

5/22/2006 5:28:08 PM Page 6